

Cleaner 200 PWA STR

Cleaner 200 PWA STR is a powdered alkaline product which may be used as either electro, soak/electro-cleaner (single tank) in reel to reel lines (wire or strip lines) for ferrous alloys and copper.

Features & Benefits

Non-Dusting	Free flowing powder
Chelator Free	Easily waste treated
Advanced wetter Package	Non-foaming

Physical Data

Concentrations	8 – 18 oz/Gal
Temperatures	110°F – 200°F
Current Densities	60 – 200 amps/ft ²
Equipment	Mild steel tanks, anodes, and coils
Ventilation	Required

Operating Conditions

Considerable heat is generated when Cleaner 200 PWA STR is dissolved in water. A new solution should be prepared by filling the tank half full of warm water (approx. 100°F), and slowly adding Cleaner 200 PWA STR while continuously stirring. After the Cleaner 200 PWA STR has been dissolved, add the remainder of the cold water. Heat or cool to desired operating temperature before use.

Note: When adding Cleaner 200 PWA STR to an operating solution, add slowly to avoid solution eruption

Titration Method

1. Pipette 10 mL of Cleaner 200 PWA STR solution into 250 mL Erlenmeyer flask.
2. Add 100 mL of water and 4 to 5 drops Phenolphthalein indicator.
3. Titrate with 0.5 N Hydrochloric Acid until the solution turns to a clear end point.
4. Record mL used.

Calculation



Product Bulletin

Product Name: Cleaner 200 PWA STR

Product Code: 2001009

Revision Date: May 15, 2025

$$\begin{aligned} \text{Factor (oz/Gal)} & 0.33 \\ \text{Factor (g/L)} & 2.46 \\ \text{Concentration} & = \text{mL } 0.5 \text{ N HCl} \times \text{Factor} \end{aligned}$$

Test Kit Method

1. Fill Test Bottle $\frac{1}{4}$ full of water.
2. Using syringe, add a 1/2 mL sample of Cleaner 200 PWA STR.
3. Add 5 to 10 drops of Methyl Orange Indicator.
4. Add drop-wise 0.72 N HCl until color changes from yellow to orange.
5. Record the number of drops used.

Calculation

$$\begin{aligned} \text{Factor (oz/Gal)} & 0.30 \\ \text{Factor (g/L)} & 1.99 \\ \text{Concentration} & = \# \text{ Drops } 0.72 \text{ N HCL} \times \text{Factor} \end{aligned}$$

Waste Disposal

Discharge rinse waters and spent solutions to a permitted disposal system. In order to be completely informed on the latest regulations for your area, please contact the local authorities.

Caution

Cleaner 200 PWA STR is an alkaline product and should be handled accordingly. Avoid skin and eye contact. Wear protective clothing, goggles and gloves. Flush exposed areas immediately with clean cold water. Contact a doctor promptly in case of injury. Consult SDS for details.



Product Bulletin

Product Name: Cleaner 200 PWA STR

Product Code: 2001009

Revision Date: May 15, 2025

WARRANTY: HUBBARD-HALL INC. IS NOT RESPONSIBLE FOR THE MISUSE, MISAPPLICATION, OR MISHANDLING OF THIS PRODUCT. SEE THE TERMS AND CONDITIONS OF SALE ON OUR WEBSITE FOR ADDITIONAL TERMS AND CONDITIONS CONCERNING OUR PRODUCTS, INCLUDING BUT NOT LIMITED TO, LIMITATIONS AND DISCLAIMERS OF WARRANTIES AND LIABILITIES.

Our People. Your Problem Solvers.

For more information on this process,
please call us at 203.756.5521 or email: techservice@hubbardhall.com

Hubbard-Hall holds certifications for **ISO 9001:2015**, Responsible Distribution, as accredited by the **ACD** (Alliance for Chemical Distributors) and as a **Women-Owned Small Business**, as well as maintaining an association with **Omni-Chem**¹³⁶.