



# PAINT & RESIN CLEANER "PRC"

## HEAVY DUTY PAINT & RESIN CLEANER

**PAINT & RESIN CLEANER "PRC"** is a water based heavy duty uncured resin, paint and graffiti cleaner / detergent. Effective on heavy grease & oil removal also. Excellent for use in automotive paint bake ovens and for cleaning paint from tanks, inks and resins.

PRC has solvency power, is cost effective and powerful on soils. Provides rapid soil penetration. Short soaking time can be used on difficult dry residue. Rapidly wipes graffiti from hard surfaces.

PRC can be used in many different types of processing operations where a residue penetrating type product is preferred. INK PLANTS, PRINTING PLANTS, RESIN AND COATINGS, ADHESIVES AND MAINTENANCE.

## Features & Benefits

- Non-Phosphated and Biodegradable.
- No strong odors.
- Used over a wide temperature operating range of ambient up to 150 deg. Easily treated in wastewater treatment processes. Splits soils fast for filtration or easy removal.
- Low use cost.
- Effectively penetrates difficult residues.

## Typical Processing

3 Stage Clean & Coat Process:(5 Stage Add Alkaline Clean & Rinse)

- 1) Clean And Bond In Iron Phosphate, Ecoquest Or Zrc "non-phosphate".
- 2) Rinse
- 3) Ncs-179 Treated Rinse, 2.0% By Volume, 120 Deg. F., 25 Seconds. (Ph 9.5-10.0)
- 4) Air Blow-off.

- Can Also Be Used as A Stand Alone Pretreatment Product On Steel, Aluminum And Zinc Galvanize. (Requires A Pre-cleaner For Oils / Soils ) Use Rate: 3-6% Typical, 120 Deg.



## Product Bulletin

Product Name: PAINT & RESIN CLEANER "PRC"  
Product Code: 2055117  
Revision Date: March 16, 2026

## Specifications

pH	11.9
Prod.Type	Liquid
Spec.Grav	1
LBS./GAL	8.34
FOAM 0=low 9=high	0
Shelf life years:	10
Freeze information	N/A

## Packaging

Container Type	POLY
Net Units	455
Tare Wt.	25 LB.
Gross Wt.	480
Dot_Name	Not Regulated by D. O. T.
DOT Hazzard	Not Regulated
Tariff ID	n/a

## Use parameters

Concentration Range	10-100% as needed
Range	Ambient -150
Time Range	as required to
Agitation	As required.

## Other information

It is important that the **OSHA DATA, "Material Safety Data Sheet"** be carefully read and reviewed with the users of this product. OSHA data is required to be posted in the work area by law.

## Waste Disposal

Contain and neutralize spills

## Holding Tank Materials of Construction

Steel, Stainless or Poly



563 South Leonard Street, Waterbury, CT 06708 • HubbardHall.com • 800-648-3412

## Product Bulletin

Product Name: PAINT & RESIN CLEANER "PRC"  
Product Code: 2055117  
Revision Date: March 16, 2026

**WARRANTY:** HUBBARD-HALL INC. IS NOT RESPONSIBLE FOR THE MISUSE, MISAPPLICATION, OR MISHANDLING OF THIS PRODUCT. SEE THE TERMS AND CONDITIONS OF SALE ON OUR WEBSITE FOR ADDITIONAL TERMS AND CONDITIONS CONCERNING OUR PRODUCTS, INCLUDING BUT NOT LIMITED TO, LIMITATIONS AND DISCLAIMERS OF WARRANTIES AND LIABILITIES.

## Our People. Your Problem Solvers.

For more information on this process,  
please call us at 203.756.5521 or email: [techservice@hubbardhall.com](mailto:techservice@hubbardhall.com)

Hubbard-Hall holds certifications for **ISO 9001:2015**, Responsible Distribution, as accredited by the **ACD** (Alliance for Chemical Distributors) and as a **Women-Owned Small Business**, as well as maintaining an association with **Omni-Chem**<sup>136</sup>.