

Techni-Clean #20-LP Acid

LOWEST PHOSPHATE H.D. ACID CLEANER

Acid 20-LP is a non-foam " low level phosphate" and nitric acid-based detergent. It is used for removing scale and stone deposits from equipment and acid flush cleaning in lines and tanks.

By weight of elemental phosphoric pentoxide, Acid 20-LP provides non-foaming properties with excellent rinsing. Removes and penetrates mineral deposits.

Acid 20-LP can be used at lower temperature levels and rinses well with warm or cool water. Removes scale which clogs stainless heat exchangers and boilers.

Features & Benefits

- Biodegradable.
- Easy to use.
- Generally used for CIP cleaning of tanks and lines.
- Can also be used for soak tank cleaning of molds, utensils, and parts.
- Mixes easily with cool or warm water.
- Used in: dairies, bottling operations and other food processing plants.
- Provides bright surfaces on stainless steel.

Note: Removes rust and oxide from steel. It will etch steel.

Physical Data

pH	<1
Product Type	Liquid
Spec. Gravity	1.24
lbs./gal.	10.34
Foam, 0 = Low, 9 = High	3
Shelf-Life Years	10 years
Freeze Information	Not damaged by freezing

Typical Processing

Cip cleaning of dairy or beverage lines:

1. Concentration: 1/4-1% (typical)
2. Time: circulate in system for 10-30 minutes, temp: 90-140 F.
3. Soak tank cleaning: concentration: 2 1/2-5% by volume.
4. Temperature: 100-130 F.
5. Time: as determined. Agitate if practical.
6. Non-foam brighten & cleaning of process equipment:
7. Prepare solution: 1/4-1%, spray on surfaces, brush, allow soaking period.
8. Rinse with warm or cool water.

Packaging

Container Type	Poly
Net Units	570
Tare Wt.	25 lb.
Gross Wt.	595
DOT_Name	UN 2031, Nitric Acid Solution, 8, PG II
DOT Hazard	Corrosive
Tariff ID	

Use Parameters

Concentration Range	1/4-10%
Temperature Range	Cool up to 200 F.
Time Range	As needed in process.
Agitation	Best when available.

Waste Disposal

Adjust pH as needed. Remove fats oils and grease.

Holding Tank Materials of Construction

Acid resistant, stainless, or poly



Other Information

It is important that the OSHA DATA, "Material Safety Data Sheet" be carefully read and reviewed with the users of this product. OSHA data is required to be posted in the work area by law.

WARRANTY: HUBBARD-HALL INC. IS NOT RESPONSIBLE FOR THE MISUSE, MISAPPLICATION, OR MISHANDLING OF THIS PRODUCT. SEE THE TERMS AND CONDITIONS OF SALE ON OUR WEBSITE FOR ADDITIONAL TERMS AND CONDITIONS CONCERNING OUR PRODUCTS, INCLUDING BUT NOT LIMITED TO, LIMITATIONS AND DISCLAIMERS OF WARRANTIES AND LIABILITIES.

Our People. Your Problem Solvers.

For more information on this process,
please call us at 203.756.5521 or email: techservice@hubbardhall.com

Hubbard-Hall holds certifications for **ISO 9001:2015**, Responsible Distribution, as accredited by the **ACD** (Alliance for Chemical Distributors) and as a **Women-Owned Small Business**, as well as maintaining an association with **Omni-Chem**¹³⁶.